

Stock List HRFP Code: EV Date 28.01.2009

Quality	THK	WIDTH	LENGTH	QUANTITY
S355+AR	40 mm	1050 mm	9340 mm	3138 kg
S355+AR	40 mm	1270 mm	1300 mm	528 kg
S355+AR	40 mm	1270 mm	4940 mm	2008 kg
S275+AR	40 mm	1280 mm	9600 mm	3932 kg
S355+AR	40 mm	1380 mm	4340 mm	1917 kg
S355+AR	40 mm	1400 mm	2520 mm	1129 kg
S355+AR	40 mm	1530 mm	8160 mm	3995 kg
S355+AR	40 mm	1540 mm	11470 mm	5652 kg
S275+AR	41 mm	1270 mm	9030 mm	3762 kg
S355+AR	41 mm	1400 mm	2800 mm	1286 kg
S355+AR	41 mm	1400 mm	4230 mm	1942 kg
S275+AR	42 mm	2020 mm	6350 mm	4310 kg
S355+AR	50 mm	1100 mm	4450 mm	1958 kg
S355+AR	50 mm	1510 mm	2700 mm	1631 kg
S355+AR	50 mm	1530 mm	11700 mm	7160 kg
C45+U	50 mm	1610 mm	8130 mm	5236 kg
C45+U	50 mm	1620 mm	3830 mm	2482 kg
C45+U	50 mm	1620 mm	10000 mm	6480 kg
S355+AR	50 mm	2500 mm	8270 mm	8270 kg
S355+AR	51 mm	770 mm	3410 mm	1071 kg
S355+AR	51 mm	1010 mm	5660 mm	2332 kg
S235+AR	51 mm	1370 mm	5440 mm	3041 kg
S235+AR	51 mm	1380 mm	2640 mm	1486 kg
S355+AR	51 mm	1460 mm	7400 mm	4408 kg
S355+AR	51 mm	1510 mm	3950 mm	2434 kg
S355+AR	51 mm	1800 mm	11560 mm	8490 kg
S355+AR	51 mm	2020 mm	11860 mm	9775 kg
S355+AR	51 mm	2020 mm	11890 mm	9799 kg
S355+AR	51 mm	2510 mm	6580 mm	6738 kg
S355+AR	51 mm	2520 mm	6930 mm	7125 kg
S355+AR	51 mm	2520 mm	7820 mm	8040 kg
gem. Analys	52 mm	1360 mm	6010 mm	3400 kg
S355+AR	52 mm	1510 mm	3850 mm	2418 kg
S355+AR	52 mm	1510 mm	4900 mm	3078 kg
S355+AR	52 mm	2030 mm	10770 mm	9095 kg
S355+AR	52 mm	2030 mm	11970 mm	10108 kg
S275+AR	55 mm	2410 mm	6410 mm	6797 kg
S275+AR	55 mm	2410 mm	6470 mm	6861 kg
S355+AR	56 mm	1510 mm	2450 mm	1657 kg
S355+AR	56 mm	2520 mm	6540 mm	7383 kg
S355+AR	56 mm	2530 mm	6400 mm	7254 kg
S355+AR	57 mm	2530 mm	6750 mm	7787 kg
S235+AR	58 mm	1210 mm	9920 mm	5569 kg
S355+AR	59 mm	2270 mm	13500 mm	14464 kg
42CRMO4+SG	60 mm	1040 mm	6580 mm	3285 kg
S355+AR	60 mm	1180 mm	8000 mm	4531 kg
S355+AR	60 mm	1400 mm	2250 mm	1512 kg
S355+AR	60 mm	1400 mm	2250 mm	1512 kg
S355+AR	60 mm	1400 mm	4410 mm	2964 kg
S235+AR	60 mm	1430 mm	8600 mm	5903 kg
P355NL1	60 mm	1460 mm	10000 mm	7008 kg
P355NL1	60 mm	1470 mm	9900 mm	6985 kg
S355+AR	60 mm	1810 mm	9530 mm	8280 kg
S355+AR	60 mm	2020 mm	3100 mm	3006 kg
S355+AR	60 mm	2020 mm	7440 mm	7214 kg
S355+AR	60 mm	2540 mm	8920 mm	10875 kg
42CRMO4+SG	61 mm	1050 mm	6670 mm	3418 kg
S355+AR	61 mm	1280 mm	5160 mm	3223 kg

S355+AR	61 mm	1360 mm	4770 mm	3166 kg
S235+AR	61 mm	1440 mm	8340 mm	5861 kg
S235+AR	61 mm	1450 mm	8050 mm	5696 kg
S355+AR	61 mm	1500 mm	4760 mm	3484 kg
S355+AR	61 mm	1800 mm	4220 mm	3707 kg
S355+AR	61 mm	2010 mm	3850 mm	3776 kg
S355+AR	61 mm	2030 mm	4250 mm	4210 kg
S355+AR	63 mm	2020 mm	5920 mm	6027 kg
S355+AR	67 mm	2010 mm	6340 mm	6830 kg
S355+AR	67 mm	2010 mm	12000 mm	12928 kg
S355+AR	69 mm	2020 mm	10130 mm	11295 kg
42CRMO4+SG	70 mm	1380 mm	7080 mm	5471 kg
C45+U	70 mm	1600 mm	10010 mm	8969 kg
C45+U	70 mm	1630 mm	7400 mm	6755 kg
S355+AR	71 mm	1260 mm	4000 mm	2863 kg
S355+AR	71 mm	1260 mm	10250 mm	7336 kg
S355+AR	71 mm	1270 mm	2300 mm	1659 kg
S355+AR	71 mm	1630 mm	7240 mm	6703 kg
C45+U	71 mm	1630 mm	8560 mm	7925 kg
S355+AR	71 mm	1630 mm	10030 mm	9286 kg
S355+AR	71 mm	1820 mm	10040 mm	10379 kg
S355+AR	71 mm	1830 mm	7350 mm	7640 kg
S355+AR	71 mm	2020 mm	5140 mm	5897 kg
S355+AR	71 mm	2020 mm	6980 mm	8009 kg
S355+AR	71 mm	2020 mm	12070 mm	13849 kg
S355+AR	72 mm	2020 mm	5050 mm	5876 kg
S355+AR	72 mm	2020 mm	12020 mm	13986 kg
S355+AR	72 mm	2250 mm	11270 mm	14606 kg
S355+AR	72 mm	2260 mm	11140 mm	14502 kg
S355+AR	72 mm	2530 mm	10400 mm	15156 kg
S355+AR	74 mm	2020 mm	10100 mm	12078 kg
S355+AR	74 mm	2030 mm	3340 mm	4014 kg
S235+AR	75 mm	1050 mm	7560 mm	4763 kg
S355+AR	75 mm	1530 mm	9990 mm	9171 kg
S355+AR	75 mm	1540 mm	5400 mm	4990 kg
S355+AR	75 mm	2260 mm	10790 mm	14631 kg
S355J2+N	76 mm	1500 mm	4800 mm	4378 kg
S355+AR	77 mm	1610 mm	3700 mm	3670 kg
S355+AR	79 mm	1800 mm	6900 mm	7849 kg
42CrMo4+N	79 mm	1950 mm	10310 mm	12706 kg
S355+AR	79 mm	2030 mm	5040 mm	6466 kg
S235+AR	80 mm	840 mm	1000 mm	538 kg
C45+U	80 mm	1060 mm	5580 mm	3785 kg
C45+U	80 mm	1620 mm	4280 mm	4438 kg
S355+AR	80 mm	2260 mm	10180 mm	14724 kg
S355+AR	80 mm	2260 mm	10220 mm	14782 kg
S275J2+N	80 mm	2510 mm	10680 mm	17156 kg
S355+AR	80 mm	2530 mm	5000 mm	8096 kg
S355+AR	81 mm	1630 mm	9020 mm	9527 kg
C45+U	81 mm	2010 mm	3130 mm	4077 kg
S355J2+N	81 mm	2010 mm	7640 mm	9951 kg
S355J2+N	81 mm	2010 mm	7780 mm	10133 kg
S355+AR	81 mm	2030 mm	3150 mm	4144 kg
S355+AR	81 mm	2030 mm	12080 mm	15891 kg
S275+AR	81 mm	2270 mm	6930 mm	10194 kg
S355+AR	81 mm	2540 mm	4230 mm	6962 kg
S235+AR	82 mm	1500 mm	5350 mm	5264 kg
S355+AR	83 mm	2020 mm	5110 mm	6854 kg
S355+AR	83 mm	2020 mm	10050 mm	13480 kg
S355+AR	85 mm	1450 mm	7320 mm	7218 kg
S355+AR	88 mm	2250 mm	9470 mm	15000 kg
S355+AR	90 mm	1620 mm	4370 mm	5097 kg
S355J2+N	90 mm	1820 mm	3990 mm	5228 kg

S235+AR	90	mm	2010	mm	7900	mm	11433	kg
S355+AR	90	mm	2020	mm	13300	mm	19344	kg
S355+AR	91	mm	1630	mm	8250	mm	9790	kg
S355J2+N	91	mm	1820	mm	3900	mm	5167	kg
S355+AR	91	mm	1830	mm	3240	mm	4316	kg
S235+AR	91	mm	2010	mm	8300	mm	12145	kg
S355+AR	91	mm	2010	mm	13330	mm	19506	kg
S355+AR	91	mm	2020	mm	13220	mm	19441	kg
S355+AR	92	mm	2010	mm	13400	mm	19823	kg
S355+AR	92	mm	2020	mm	13250	mm	19699	kg
S355+AR	92	mm	2250	mm	3000	mm	4968	kg
S355+AR	92	mm	2250	mm	4300	mm	7121	kg
S355+AR	94	mm	1200	mm	5560	mm	5017	kg
S355+AR	95	mm	1630	mm	12900	mm	15981	kg
S355+AR	95	mm	1800	mm	3500	mm	4788	kg
S355+AR	96	mm	1820	mm	13010	mm	18185	kg
S355+AR	96	mm	2010	mm	12820	mm	19790	kg
S355+AR	96	mm	2550	mm	8390	mm	16431	kg
S355+AR	100	mm	1820	mm	6310	mm	9187	kg
C45+U	100	mm	1980	mm	5880	mm	9314	kg
S355+AR	101	mm	1210	mm	11190	mm	10940	kg
S275+AR	101	mm	1300	mm	4100	mm	4307	kg
S275+AR	101	mm	1300	mm	6600	mm	6933	kg
S355+AR	101	mm	1380	mm	4440	mm	4951	kg
42CrMo4+N	101	mm	2000	mm	12280	mm	19877	kg
S355+AR	101	mm	2020	mm	6200	mm	10119	kg
S355+AR	101	mm	2020	mm	12240	mm	19978	kg
S355+AR	101	mm	2030	mm	12000	mm	19683	kg
A36	101	mm	2540	mm	2500	mm	5131	kg
S355+AR	102	mm	1210	mm	5670	mm	5598	kg
S355J2+N	102	mm	1800	mm	3260	mm	4788	kg
S275	102	mm	2200	mm	7910	mm	14200	kg
A36	102	mm	2540	mm	2200	mm	4560	kg
S355+AR	105	mm	1620	mm	11720	mm	15949	kg
S355+AR	106	mm	2240	mm	6370	mm	12100	kg
S355+AR	107	mm	2250	mm	7710	mm	14849	kg
S355+AR	109	mm	1800	mm	7900	mm	12400	kg
S355+AR	110	mm	1210	mm	9850	mm	10488	kg
S355+AR	110	mm	2010	mm	3130	mm	5536	kg
S355+AR	110	mm	2260	mm	3370	mm	6702	kg
S355+AR	110	mm	2260	mm	7510	mm	14936	kg
S355+AR	110	mm	2510	mm	4440	mm	9807	kg
S275+AR	111	mm	1480	mm	9180	mm	12065	kg
S355+AR	111	mm	1830	mm	12100	mm	19663	kg
S355+AR	111	mm	2010	mm	7060	mm	12601	kg
S355+AR	111	mm	2030	mm	3100	mm	5588	kg
S355+AR	111	mm	2030	mm	3400	mm	6129	kg
S355+AR	111	mm	2250	mm	7480	mm	14945	kg
C45+U	112	mm	1980	mm	6230	mm	11053	kg
C45+U	112	mm	1980	mm	10300	mm	18273	kg
S355+AR	115	mm	2020	mm	10760	mm	19996	kg
S355+AR	116	mm	1730	mm	10740	mm	17242	kg
S355+AR	116	mm	1830	mm	7200	mm	12227	kg
S275+AR	120	mm	1400	mm	3720	mm	5000	kg
C45+U	120	mm	1980	mm	3860	mm	7337	kg
C45+U	120	mm	1980	mm	5140	mm	9770	kg
S355+AR	120	mm	2000	mm	4240	mm	8141	kg
S355+AR	120	mm	2000	mm	6100	mm	11712	kg
C45+U	121	mm	1980	mm	9280	mm	17786	kg
C45+U	121	mm	1990	mm	10300	mm	19841	kg
S355+AR	121	mm	2020	mm	6900	mm	13492	kg
42CrMo4+SG	125	mm	1420	mm	5050	mm	7171	kg
S355+AR	125	mm	1830	mm	7670	mm	14036	kg

S355+AR	125	mm	2020	mm	9780	mm	19756	kg
S355+AR	125	mm	2020	mm	9900	mm	19998	kg
S355+AR	126	mm	1620	mm	9800	mm	16003	kg
S355+AR	126	mm	2010	mm	3840	mm	7780	kg
S355+AR	128	mm	2020	mm	9710	mm	20085	kg
S355+AR	130	mm	1630	mm	3000	mm	5086	kg
S355+AR	130	mm	1830	mm	7980	mm	15188	kg
C45+U	130	mm	1970	mm	7000	mm	14342	kg
S235+AR	130	mm	2000	mm	6200	mm	12896	kg
S355+AR	130	mm	2010	mm	1040	mm	2174	kg
P295GH	130	mm	2010	mm	5100	mm	10661	kg
S355+AR	130	mm	2020	mm	2640	mm	5546	kg
S355+AR	130	mm	2020	mm	3300	mm	6933	kg
S235+AR	130	mm	2020	mm	6240	mm	13109	kg
S355+AR	130	mm	2240	mm	5050	mm	11764	kg
S355+AR	130	mm	2260	mm	6270	mm	14737	kg
S275J2+N	130	mm	2525	mm	1700	mm	4464	kg
S355+AR	131	mm	1620	mm	9380	mm	15925	kg
S275J2+N	131	mm	1810	mm	2270	mm	4306	kg
S355+AR	131	mm	2000	mm	8800	mm	18445	kg
S355+AR	131	mm	2010	mm	9190	mm	19359	kg
S355+AR	131	mm	2010	mm	9300	mm	19590	kg
S275J2+N	131	mm	2525	mm	1380	mm	3652	kg
S275J2+AR	131	mm	2680	mm	1430	mm	4016	kg
S355+AR	132	mm	1550	mm	7360	mm	12047	kg
S355+AR	133	mm	1550	mm	10340	mm	17053	kg
S355+AR	133	mm	1980	mm	14300	mm	30126	kg
S355+AR	135	mm	2510	mm	1200	mm	3253	kg
S355+AR	138	mm	2010	mm	3400	mm	7545	kg
S355+AR	139	mm	1780	mm	6280	mm	12430	kg
S355+AR	140	mm	1830	mm	12900	mm	26440	kg
S235J2+N	140	mm	1970	mm	640	mm	1412	kg
S355+AR	140	mm	1970	mm	2880	mm	6354	kg
C45+U	140	mm	1980	mm	5050	mm	11199	kg
S355+AR	141	mm	1620	mm	11360	mm	20759	kg
S355+AR	141	mm	1990	mm	5510	mm	12368	kg
S355+AR	141	mm	2000	mm	6650	mm	15002	kg
S355+AR	142	mm	1980	mm	2900	mm	6523	kg
S355+AR	147	mm	1600	mm	6350	mm	11948	kg
S235+AR	148	mm	1100	mm	2080	mm	2709	kg
S355+AR	149	mm	1530	mm	7450	mm	13587	kg
S275J2+N	149	mm	2123	mm	1650	mm	4176	kg
S355+AR	149	mm	2670	mm	2390	mm	7607	kg
S355+AR	150	mm	1060	mm	8120	mm	10329	kg
S235+AR	150	mm	1410	mm	6040	mm	10220	kg
S355+AR	150	mm	2220	mm	3360	mm	8951	kg
S275J2+N	150	mm	2260	mm	1500	mm	4068	kg
S355+AR	150	mm	2375	mm	2440	mm	6954	kg
S355+AR	151	mm	1190	mm	2450	mm	3522	kg
S355J2+N	151	mm	1514	mm	1010	mm	1847	kg
P265GH	151	mm	1967	mm	1120	mm	2661	kg
P265GH	151	mm	1973	mm	1100	mm	2622	kg
P265GH	151	mm	1980	mm	1100	mm	2631	kg
S275J2+N	151	mm	2120	mm	1450	mm	3713	kg
S275J2+N	151	mm	2125	mm	1530	mm	3928	kg
S355+AR	153	mm	1990	mm	12590	mm	30666	kg
C45+U	158	mm	1970	mm	9200	mm	22909	kg
S355+AR	158	mm	1970	mm	11930	mm	29707	kg
S355+AR	159	mm	1180	mm	7030	mm	10552	kg
S355+AR	159	mm	1830	mm	11200	mm	26071	kg
S355+AR	159	mm	1830	mm	11480	mm	26723	kg
S355+AR	159	mm	2650	mm	3450	mm	11629	kg
S355+AR	160	mm	1830	mm	11400	mm	26703	kg

P265GH	160	mm	1961	mm	1250	mm	3138	kg
S355+AR	160	mm	1980	mm	5750	mm	14573	kg
A36N	160	mm	2250	mm	1020	mm	2938	kg
S355+AR	160	mm	2650	mm	4970	mm	16858	kg
S355+AR	160	mm	2660	mm	8100	mm	27579	kg
S355+AR	160	mm	2680	mm	8200	mm	28129	kg
S355+AR	161	mm	1960	mm	10500	mm	26507	kg
P265GH	161	mm	1980	mm	1230	mm	3137	kg
S355+AR	161	mm	1990	mm	5100	mm	13072	kg
S355+AR	161	mm	2000	mm	3930	mm	10124	kg
S355+AR	162	mm	1540	mm	14150	mm	28241	kg
S275+AR	163	mm	1510	mm	7880	mm	15516	kg
S275J2+N	163	mm	1980	mm	1320	mm	3408	kg
42CRMO4+SG	165	mm	1420	mm	2370	mm	4442	kg
42CRMO4+SG	165	mm	1420	mm	3600	mm	6748	kg
S275+AR	165	mm	1560	mm	7160	mm	14744	kg
S355+AR	169	mm	1190	mm	5630	mm	9058	kg
S355+AR	169	mm	2660	mm	8100	mm	29130	kg
S355+AR	170	mm	1200	mm	4020	mm	6561	kg
S355+AR	170	mm	1560	mm	9000	mm	19094	kg
S355+AR	170	mm	1820	mm	10540	mm	26089	kg
S355+AR	170	mm	2230	mm	9340	mm	28326	kg
S355+AR	171	mm	1510	mm	13210	mm	27288	kg
S355+AR	171	mm	1830	mm	3930	mm	9839	kg
S355+AR	171	mm	1850	mm	10360	mm	26219	kg
S355+AR	171	mm	1970	mm	11080	mm	29860	kg
P265GH	171	mm	1975	mm	5030	mm	13590	kg
S355+AR	171	mm	1990	mm	7600	mm	20690	kg
S355+AR	171	mm	1990	mm	10210	mm	27795	kg
S235J2+N	171	mm	2125	mm	5270	mm	15320	kg
S355+AR	175	mm	1920	mm	4100	mm	11021	kg
S235+AR	178	mm	1170	mm	3640	mm	6065	kg
S235+AR	178	mm	2680	mm	3320	mm	12670	kg
C45+U	179	mm	1980	mm	10350	mm	29346	kg
S355+AR	179	mm	2680	mm	3770	mm	14468	kg
P265GH	180	mm	1510	mm	6760	mm	14699	kg
S355+AR	180	mm	1540	mm	5950	mm	13195	kg
S355+AR	180	mm	1840	mm	2800	mm	7419	kg
S355+AR	180	mm	1970	mm	5060	mm	14354	kg
A36N	180	mm	1980	mm	5150	mm	14684	kg
S355+AR	181	mm	1550	mm	11000	mm	24688	kg
S355+AR	181	mm	1980	mm	4910	mm	14077	kg
S355+AR	181	mm	1990	mm	5200	mm	14984	kg
S355+AR	190	mm	1820	mm	6600	mm	18258	kg
S355+AR	190	mm	1830	mm	8510	mm	23671	kg
S355+AR	190	mm	1970	mm	10180	mm	30483	kg
S355+AR	190	mm	1990	mm	10000	mm	30248	kg
S355+AR	190	mm	2220	mm	8180	mm	27603	kg
S235+AR	192	mm	830	mm	4080	mm	5202	kg
S355+AR	199	mm	1050	mm	6550	mm	10949	kg
C45+U	199	mm	1960	mm	5360	mm	16725	kg
C45+U	199	mm	1960	mm	5870	mm	18316	kg
S235+AR	200	mm	2250	mm	3360	mm	12096	kg
S355+AR	201	mm	1520	mm	11080	mm	27081	kg
S355+AR	201	mm	1550	mm	3030	mm	7552	kg
S355+AR	201	mm	1830	mm	1635	mm	4811	kg
S355+AR	210	mm	1050	mm	4500	mm	7938	kg
S355+AR	210	mm	1200	mm	5060	mm	10201	kg
S355+AR	210	mm	1510	mm	6470	mm	16413	kg
S355+AR	210	mm	1840	mm	3470	mm	10726	kg
C45+U	210	mm	1960	mm	3820	mm	12578	kg
S355+AR	210	mm	1970	mm	4980	mm	16482	kg
S355+AR	210	mm	2000	mm	5580	mm	18749	kg

S355+AR	210	mm	2220	mm	7620	mm	28420	kg
S355+AR	211	mm	1970	mm	8890	mm	29562	kg
S355+AR	211	mm	1990	mm	8720	mm	29292	kg
S355+AR	212	mm	1200	mm	4880	mm	9932	kg
S355+AR	212	mm	1960	mm	8940	mm	29718	kg
S355+AR	213	mm	1830	mm	4005	mm	12629	kg
S355+AR	218	mm	2360	mm	4840	mm	19921	kg
S355+AR	219	mm	1820	mm	7980	mm	25445	kg
S355+AR	219	mm	1830	mm	6310	mm	20231	kg
C45+U	219	mm	1970	mm	5260	mm	18155	kg
S355+AR	220	mm	1180	mm	5220	mm	10841	kg
S355+AR	220	mm	2640	mm	6350	mm	29505	kg
S355+AR	221	mm	1970	mm	8530	mm	29710	kg
S355+AR	221	mm	1990	mm	5650	mm	19879	kg
S355+AR	221	mm	1990	mm	8530	mm	30011	kg
S355+AR	223	mm	1990	mm	8590	mm	30496	kg
C45+N	225	mm	733	mm	1253	mm	1653	kg
S355+AR	230	mm	1820	mm	7860	mm	26322	kg
S355+AR	230	mm	1980	mm	2100	mm	7651	kg
P265GH	230	mm	2323	mm	4330	mm	18508	kg
S355+AR	230	mm	2340	mm	4400	mm	18945	kg
P265GH	230	mm	2610	mm	1400	mm	6723	kg
P355NL1	233	mm	1480	mm	8160	mm	22511	kg
S355J2+N	236	mm	1675	mm	1010	mm	3194	kg
C45+U	239	mm	1970	mm	7700	mm	29003	kg
S355+AR	239	mm	2660	mm	5630	mm	28634	kg
S355+AR	240	mm	1050	mm	6530	mm	13164	kg
S355+AR	240	mm	1190	mm	3780	mm	8637	kg
S355+AR	240	mm	1620	mm	4800	mm	14930	kg
S355+AR	240	mm	1830	mm	3100	mm	10892	kg
S355+AR	240	mm	1830	mm	4220	mm	14827	kg
S355+AR	240	mm	1830	mm	6070	mm	21328	kg
C45+U	240	mm	1970	mm	2960	mm	11196	kg
S355+AR	240	mm	1970	mm	5100	mm	19290	kg
S355+AR	240	mm	1970	mm	7810	mm	29541	kg
S355+AR	240	mm	1990	mm	2280	mm	8711	kg
S355+AR	240	mm	1990	mm	7730	mm	29535	kg
S355+AR	240	mm	2370	mm	1970	mm	8964	kg
S355+AR	240	mm	2660	mm	5480	mm	27987	kg
S355+AR	241	mm	1990	mm	2450	mm	9400	kg
S235+AR	247	mm	2230	mm	6130	mm	27012	kg
S355+AR	248	mm	1060	mm	4580	mm	9632	kg
C45+U	248	mm	1970	mm	6320	mm	24702	kg
S355+AR	248	mm	2650	mm	5210	mm	27392	kg
S355J2+N	248	mm	2670	mm	1260	mm	6675	kg
S235+AR	249	mm	1370	mm	2920	mm	7969	kg
S235+AR	249	mm	1450	mm	8000	mm	23107	kg
S355+AR	249	mm	1840	mm	7360	mm	26976	kg
S355J2+N	249	mm	2660	mm	1260	mm	6676	kg
S355J2+N	249	mm	2660	mm	1260	mm	6676	kg
S355+AR	250	mm	1980	mm	3270	mm	12949	kg
S355J2+N	250	mm	2640	mm	1250	mm	6600	kg
S355J2+N	250	mm	2640	mm	1300	mm	6864	kg
S355J2+N	250	mm	2640	mm	1360	mm	7181	kg
S355J2+N	250	mm	2650	mm	1220	mm	6466	kg
S355J2+N	250	mm	2650	mm	1270	mm	6731	kg
S355J2+N	250	mm	2650	mm	1300	mm	6890	kg
S355J2+N	250	mm	2650	mm	1300	mm	6890	kg
S355J2+N	250	mm	2650	mm	1300	mm	6890	kg
S355J2+N	250	mm	2650	mm	1320	mm	6996	kg
S355J2+N	250	mm	2650	mm	1360	mm	7208	kg
S355J2+N	250	mm	2650	mm	1410	mm	7473	kg
S355J2+N	250	mm	2660	mm	1090	mm	5799	kg

S355J2+N	250	mm	2660	mm	1180	mm	6278	kg
S355J2+N	250	mm	2660	mm	1260	mm	6703	kg
S355J2+N	250	mm	2660	mm	1290	mm	6863	kg
S355J2+N	250	mm	2660	mm	1300	mm	6916	kg
S355J2+N	250	mm	2660	mm	1300	mm	6916	kg
S355J2+N	250	mm	2660	mm	1300	mm	6916	kg
S355J2+N	250	mm	2660	mm	1310	mm	6969	kg
S355J2+N	250	mm	2660	mm	1330	mm	7076	kg
S355J2+N	250	mm	2660	mm	1370	mm	7288	kg
S355J2+N	250	mm	2670	mm	1240	mm	6622	kg
S355J2+N	250	mm	2670	mm	1290	mm	6889	kg
S355J2+N	250	mm	2670	mm	1350	mm	7209	kg
S355J2+N	250	mm	2670	mm	1390	mm	7423	kg
S355J2+N	250	mm	2680	mm	1210	mm	6486	kg
S355J2+N	250	mm	2680	mm	1260	mm	6754	kg
S355J2+N	250	mm	2680	mm	1380	mm	7397	kg
S355+AR	251	mm	1830	mm	3760	mm	13817	kg
S355J2+N	251	mm	2625	mm	1200	mm	6325	kg
S355J2+N	251	mm	2630	mm	1370	mm	7235	kg
S355J2+N	251	mm	2640	mm	1360	mm	7210	kg
S355J2+N	251	mm	2650	mm	1140	mm	6066	kg
S355J2+N	251	mm	2650	mm	1200	mm	6385	kg
S355J2+N	251	mm	2650	mm	1240	mm	6598	kg
S355J2+N	251	mm	2650	mm	1280	mm	6811	kg
S355J2+N	251	mm	2660	mm	1300	mm	6944	kg
S355J2+N	251	mm	2660	mm	1300	mm	6944	kg
S355J2+N	251	mm	2660	mm	1310	mm	6997	kg
S355J2+N	251	mm	2670	mm	1060	mm	5683	kg
S355J2+N	251	mm	2670	mm	1280	mm	6863	kg
S355J2+N	251	mm	2670	mm	1360	mm	7291	kg
S355J2+N	251	mm	2680	mm	1260	mm	6781	kg
S355J2+N	251	mm	2680	mm	1270	mm	6834	kg
S355J2+N	251	mm	2680	mm	1400	mm	7534	kg
S235J2+N	252	mm	1700	mm	5620	mm	19261	kg
S355J2+N	252	mm	2650	mm	1310	mm	6999	kg
S355J2+N	252	mm	2660	mm	1500	mm	8044	kg
S355+AR	258	mm	1050	mm	6000	mm	13003	kg
S275+AR	259	mm	2580	mm	4960	mm	26515	kg
S355+AR	259	mm	2620	mm	5000	mm	27143	kg
S355+AR	260	mm	1820	mm	4830	mm	18284	kg
S355+AR	260	mm	1830	mm	3900	mm	14845	kg
P265GH	260	mm	1850	mm	3660	mm	14084	kg
S355+AR	260	mm	1970	mm	6950	mm	28478	kg
C45+U	260	mm	1980	mm	7220	mm	29735	kg
S355+AR	260	mm	2000	mm	4190	mm	17430	kg
S355J2+N	260	mm	2200	mm	3990	mm	18258	kg
S355+AR	260	mm	2200	mm	4000	mm	18304	kg
S275+AR	260	mm	2370	mm	3600	mm	17747	kg
S235J2+N	261	mm	1420	mm	3180	mm	9429	kg
S355+AR	261	mm	1980	mm	2780	mm	11493	kg
S355+AR	261	mm	1980	mm	4750	mm	19638	kg
S355+AR	261	mm	2650	mm	2550	mm	14110	kg
S355+AR	262	mm	1980	mm	7060	mm	29300	kg
S235+AR	263	mm	1400	mm	4150	mm	12224	kg
S235+AR	263	mm	1510	mm	3200	mm	10167	kg
S355+AR	270	mm	1810	mm	6880	mm	26898	kg
S355+AR	270	mm	1970	mm	7240	mm	30808	kg
C45+U	270	mm	1980	mm	6540	mm	27970	kg
S355+AR	270	mm	1990	mm	6920	mm	29745	kg
S355+AR	270	mm	2200	mm	2870	mm	13638	kg
S355+AR	272	mm	1980	mm	3690	mm	15898	kg
S355J2+N	273	mm	762	mm	1640	mm	2580	kg
C45+U	279	mm	1970	mm	6450	mm	28361	kg

S355+AR	279 mm	2210 mm	3200 mm	15785 kg
S355+AR	280 mm	1970 mm	6900 mm	30448 kg
C45+U	280 mm	1980 mm	3630 mm	16100 kg
S355+AR	280 mm	1990 mm	4880 mm	21753 kg
S355+AR	281 mm	1840 mm	3210 mm	13278 kg
S355+AR	285 mm	1340 mm	4240 mm	12954 kg
S355+AR	285 mm	1340 mm	5930 mm	18117 kg
S355+AR	289 mm	1820 mm	6310 mm	26551 kg
S355+AR	290 mm	1830 mm	5650 mm	23988 kg
S355+AR	291 mm	1980 mm	2270 mm	10463 kg
S355+AR	291 mm	1980 mm	6340 mm	29224 kg
S355+AR	291 mm	1980 mm	6500 mm	29961 kg
S355+AR	298 mm	1950 mm	6420 mm	29845 kg
S355+AR	300 mm	1490 mm	4750 mm	16986 kg
S355+AR	300 mm	1540 mm	3440 mm	12714 kg
S355+AR	300 mm	1830 mm	3120 mm	13703 kg
S355+AR	300 mm	1970 mm	5900 mm	27895 kg
S355+AR	300 mm	2640 mm	3380 mm	21416 kg
S235J2+N	301 mm	1190 mm	5660 mm	16219 kg
S355+AR	301 mm	1820 mm	3010 mm	13192 kg
S355+AR	301 mm	2680 mm	4480 mm	28911 kg
S355+AR	310 mm	1020 mm	4830 mm	12218 kg
S355+AR	310 mm	1500 mm	4980 mm	18526 kg
S355+AR	310 mm	1820 mm	4790 mm	21620 kg
S355+AR	311 mm	1820 mm	5240 mm	23728 kg
S355+AR	311 mm	1980 mm	5820 mm	28671 kg
S355+AR	312 mm	1970 mm	3560 mm	17505 kg
S355+AR	320 mm	1520 mm	4380 mm	17043 kg
S355+AR	320 mm	1830 mm	5650 mm	26469 kg
C45+U	320 mm	1970 mm	4300 mm	21686 kg
S355+AR	320 mm	1980 mm	4460 mm	22607 kg
S355+AR	321 mm	1540 mm	6700 mm	26497 kg
S355+AR	321 mm	1830 mm	4080 mm	19174 kg
S355+AR	321 mm	1970 mm	5590 mm	28280 kg
S355+AR	321 mm	2660 mm	4160 mm	28416 kg
S355+AR	322 mm	1980 mm	3550 mm	18107 kg
S355+AR	330 mm	1520 mm	6430 mm	25802 kg
S355+AR	330 mm	1980 mm	4800 mm	25091 kg
S355+AR	330 mm	1980 mm	5440 mm	28436 kg
S355+AR	331 mm	1820 mm	3950 mm	19036 kg
S355+AR	339 mm	1530 mm	3470 mm	14398 kg
C45+U	339 mm	1970 mm	5260 mm	28102 kg
S355J2+N	339 mm	1980 mm	3100 mm	16646 kg
S355+AR	340 mm	1120 mm	1410 mm	4295 kg
S355+AR	340 mm	1820 mm	4300 mm	21287 kg
S355+AR	340 mm	1960 mm	3250 mm	17326 kg
S355+AR	340 mm	1970 mm	3950 mm	21166 kg
S355+AR	347 mm	1170 mm	2610 mm	8477 kg
S355+AR	347 mm	1400 mm	3240 mm	12592 kg
C45+U	347 mm	1980 mm	3710 mm	20392 kg
S355+AR	348 mm	2220 mm	4470 mm	27627 kg
S355+AR	348 mm	2660 mm	3780 mm	27993 kg
S355+AR	349 mm	1830 mm	4780 mm	24423 kg
S355+AR	350 mm	1530 mm	5240 mm	22448 kg
S235+AR	350 mm	1540 mm	2050 mm	8840 kg
S355+AR	350 mm	1810 mm	3760 mm	19056 kg
S355+AR	350 mm	1820 mm	4800 mm	24461 kg
S355+AR	350 mm	1820 mm	4870 mm	24818 kg
S355+AR	350 mm	1970 mm	5150 mm	28407 kg
S355+AR	350 mm	1980 mm	5130 mm	28441 kg
C45+U	358 mm	1970 mm	4900 mm	27646 kg
S355+AR	360 mm	1530 mm	5200 mm	22913 kg
S355+AR	360 mm	1820 mm	4600 mm	24111 kg

S355+AR	360 mm	1970 mm	5040 mm	28595 kg
S355+AR	370 mm	1820 mm	3050 mm	16431 kg
S355+AR	370 mm	1830 mm	2810 mm	15221 kg
S355+AR	370 mm	1960 mm	5160 mm	29936 kg
S355+AR	379 mm	1550 mm	5570 mm	26177 kg
S355+AR	379 mm	1830 mm	2930 mm	16257 kg
S355+AR	380 mm	1820 mm	2750 mm	15215 kg
C45+U	380 mm	1970 mm	4900 mm	29345 kg
S355+AR	387 mm	1960 mm	4800 mm	29127 kg
S355+AR	390 mm	1500 mm	3790 mm	17737 kg
S355+AR	390 mm	1880 mm	3310 mm	19415 kg
S355+AR	396 mm	1810 mm	4340 mm	24886 kg
S355+AR	397 mm	1530 mm	5430 mm	26386 kg
S355+AR	400 mm	1060 mm	4050 mm	13738 kg
S235+AR	400 mm	1220 mm	2800 mm	10931 kg
S355+AR	401 mm	1970 mm	2120 mm	13398 kg
S355+AR	401 mm	2000 mm	4470 mm	28680 kg
S235+AR	420 mm	1990 mm	1870 mm	12504 kg
S235+AR	424 mm	1990 mm	1870 mm	12623 kg
S355+AR	450 mm	1830 mm	2700 mm	17788 kg

□